



MODULE 1: SAFETY AND RISK ASSESSMENT IN HYDROGEN LOGISTICS

MINI LECTURE: THE ESSENTIAL ELEMENT OF SUSTAINABLE ENERGY TRANSFORMATION



DIALOG
of Transformation
Certified Service EDU SMART Training Centre
UARPN 10066039



FERI

ECRN
European Chemical Regions Network

 **zielona**
chemia



KRAJOWY
KLASTER
KŁUCZOWY



Hydrogen, regarded as the fuel of the future, plays a pivotal role in the global energy transition and the quest for a low-carbon economy. Its extensive application in transportation, industry, and the energy sector is inevitable; however, it presents several challenges. The unique physicochemical properties of hydrogen—its high flammability, broad range of explosive concentrations, and extremely low molecular weight—render safety in logistics processes one of the most critical issues in contemporary engineering. This essay comprehensively explores the key standards, regulations, and procedures pertinent to hydrogen logistics, elaborates on risk analysis methodologies, and outlines emergency response mechanisms, underscoring the essential significance of safety for the sustainable advancement of the hydrogen economy.

1. Standards and Regulations: The Cornerstone of Secure Hydrogen Logistics

Safety in the transport, storage, and distribution of hydrogen is governed by a comprehensive framework of international and national standards. Adherence to these regulations is essential for mitigating the risk of hydrogen ignition and explosion, thereby safeguarding both individuals and the environment.

International and National Standards: ISO and IEC standards are pivotal, establishing the groundwork for hydrogen technologies globally. For instance, ISO 14687 delineates specific quality requirements for hydrogen utilized as fuel, which is essential for guaranteeing its safe and efficient application. Conversely, IEC 60079 pertains to electrical equipment designed for use in explosive environments, a critical consideration in hydrogen installations. Adherence to these standards

not merely a formal requirement, but primarily a practical necessity that directly contributes to operational security.

European Union and Polish Legal Regulations: Within the European framework, the Seveso III Directive is pivotal, designed to avert major industrial accidents and mitigate their consequences through rigorous reporting and risk management protocols. This directive mandates that companies managing substantial quantities of hazardous substances, including hydrogen, establish safety management systems and formulate emergency plans. The transport of hydrogen is also governed by international agreements such as the ADR (European Agreement concerning the International Carriage of Dangerous Goods by Road) and the IMDG Code (International Maritime Dangerous Goods Code), which delineate the conditions for the secure transport of hydrogen. It is essential to underscore that hydrogen, depending on its state (compressed gas, liquefied gas, chemically combined), necessitates distinct classifications and specific precautions, as outlined in these regulations. In Poland, the responsibility for the implementation and enforcement of these regulations lies with institutions such as the Office of Technical Inspection (UDT), which grants permits for the operation of pressure equipment and hydrogen tanks; the State Fire Service (PSP), tasked with fire safety and rescue plans; and local administrative bodies, which ensure compliance with regulations at the regional level. Noncompliance with these regulations can lead to catastrophic outcomes, such as uncontrolled hydrogen leakage during road transport, which forms a highly explosive mixture upon contact with air. Consequently, the establishment of comprehensive safety management systems in accordance with these regulations is imperative.

Challenges to Regulatory Harmonization: As the global hydrogen supply chain continues to expand, achieving regulatory harmonization at the international level presents significant challenges. Variations in standards and interpretations may result in trade barriers and complicate cross-border hydrogen transportation. In light of these challenges, organizations such as the International Energy Agency (IEA) and the Hydrogen Council are diligently working to establish a cohesive regulatory framework that will promote the global adoption of hydrogen as an energy carrier while maintaining the highest safety standards.

2. Emergency Events and Hazard Mechanics: Comprehending the Particulars of Hydrogen

Comprehending the mechanics of hydrogen-related hazards is essential for effectively preventing accidents and mitigating their consequences. The unique properties of hydrogen necessitate a tailored approach to the design, operation, and oversight of hydrogen installations.

High Hydrogen Reactivity: Hydrogen is distinguished by its remarkably low ignition energy (approximately 0.02 mJ, or nearly ten times less than that of methane) and its extensive range of explosive concentrations (from 4% to 75% by volume in air). These attributes imply that even minor hydrogen leaks can result in devastating fires and explosions. Owing to its low density, hydrogen disperses swiftly in the atmosphere, presenting both an advantage (rapid dispersal in open environments) and a disadvantage (potential accumulation in confined, unventilated areas, such as beneath roofs).

The most prevalent categories of emergency events encompass:

- Jet fires occur due to the controlled or uncontrolled ignition of a hydrogen jet that escapes from a leak. The hydrogen ignites with an invisible flame, presenting an additional risk.
- Confined Space Explosions (Detonation or Deflagration): Arise when hydrogen gas accumulates within a confined area and subsequently ignites, resulting in a significant pressure wave (deflagration) or a devastating shock wave (detonation).
- BLEVE (Boiling Liquid Expanding Vapor Explosion): In the case of liquefied hydrogen (LH₂), a swift expansion of both the liquid and vapor may transpire, resulting in an explosion. This phenomenon poses significant danger due to the immense energy released in a brief period.
- Hydrogen Embrittlement: Extended exposure of materials, particularly steel, to high-pressure hydrogen can modify their mechanical properties, diminishing their strength and ductility, thereby heightening the risk of cracking and failure. This presents a considerable challenge in the design of hydrogen transmission and storage infrastructure.

Failure Examples and Conclusions: A case of considerable educational significance is the explosion at a hydrogen refueling station in Sandvika, Norway, in 2019. Although this incident resulted in no fatalities, it temporarily disrupted the entire Norwegian hydrogen station network and ignited a global discourse regarding the safety of hydrogen infrastructure. The analysis pinpointed design flaws and insufficient regular inspections of safety valves as the primary causes of failure, underscoring the necessity of routine technical inspections and adequate maintenance.

Effective security management necessitates not only adherence to regulations but also the implementation of regular scenario exercises and the utilization of advanced technological tools such as:

- **H2 Leak Sensors:** Provide continuous monitoring of hydrogen concentration in the atmosphere, equipped with an early warning system.
- **UV/IR Flame Detection Systems:** Rapidly identify the presence of fire, including invisible hydrogen flames.
- **Automatic fire extinguishing systems** are designed for immediate intervention, utilizing suitable extinguishing agents such as water mist.
- **Emergency ventilation systems:** Facilitate the swift dispersion of hydrogen in the event of a leak. Contemporary infrastructure must also integrate system redundancy, dual containment (e.g., double shut-off valves), and sufficient safety distances between individual system components and surrounding objects to mitigate the risk of leak propagation.

3. First Aid and Health Considerations: Staff Readiness

In the realm of hydrogen safety, it is equally crucial to adequately train personnel to administer first aid in the event of an accident. Direct exposure to hydrogen or its derivatives can result in significant health repercussions.

Potential Health Hazards:

- Cryogenic burns: Exposure to liquefied hydrogen (LH2), with a temperature of -253°C, can result in immediate tissue freezing and irreversible harm to the skin and internal organs. Symptoms may include erythema, pain, and, in severe instances, necrosis.

- **Hypoxia:** Hydrogen, while non-toxic, is an asphyxiating gas. It has the potential to displace oxygen in the surrounding environment, particularly in confined or inadequately ventilated areas. Extended exposure to an oxygen-deficient atmosphere may lead to hypoxia, dizziness, nausea, loss of consciousness, and, in severe instances, death.
- **Mechanical injuries:** In the case of an explosion, the shock wave may result in internal injuries, auditory damage, and injuries from shrapnel.

Training and Rescue Procedures: Consequently, training in occupational health and safety, along with the execution of thorough rescue procedures, is essential. Personnel must be educated in identifying the symptoms of hypoxia and cryogenic burns, as well as in administering appropriate first aid. Each hydrogen-related installation should be furnished with a complete first aid kit, which includes:

- Thermal blankets and heating agents for cryogenic burns.
- Eye washes (e.g., ocular irrigation solutions).
- Specialized protective gloves designed to withstand low temperatures.
- Breathing aids, including oxygen masks and breathing apparatus, are crucial. Regular emergency simulations are vital, providing opportunities to practice in high-pressure scenarios, verify evacuation protocols, and enhance personnel rescue skills. Additionally, it is imperative to maintain continuous access to safety documentation (MSDS/SDS) for hydrogen, which offers comprehensive information on hazards and first aid guidelines.

4. Risk Assessment and Contingency Planning: Proactive Safety Management

Effective hydrogen logistics necessitates systematic and ongoing risk analysis. A proactive risk management strategy enables the identification of potential threats prior to their escalation into failures.

Risk Analysis Methods: The predominant risk analysis methods employed in the hydrogen industry encompass:

- **HAZOP (Hazard and Operability Study):** A qualitative approach that systematically identifies deviations from intended operating parameters that may result in hazards or operational issues. This brainstorming exercise is performed by an interdisciplinary team of experts who analyze each segment of a process for potential deviations (e.g., "no flow," "excessive pressure") along with their possible causes and consequences.

- **FMEA (Failure Mode and Effects Analysis):** A systematic approach that identifies potential failure modes of system components, evaluates their causes and effects, and assesses their likelihood and severity. This facilitates the prioritization of preventive measures.
- **QRA (Quantitative Risk Assessment):** A quantitative approach that numerically evaluates risk, including the likelihood of events and their repercussions for individuals (e.g., personal risk of mortality, societal risk of mortality), the environment, and property. QRA is especially beneficial during the design phase, facilitating the optimization of plant layout and safety protocols. These methodologies pinpoint potential critical junctures in logistics processes and evaluate their influence on safety and business continuity. It is essential that risk analysis remains an ongoing process, revised in response to advancements in technology, processes, or regulations.

Emergency Planning and Preventive Actions: Emergency planning must incorporate comprehensive hydrogen leak scenarios, evacuation protocols, H2 sensor installation and calibration, as well as ongoing staff training. An effective emergency plan addresses not only the response to an incident but, crucially, also emphasizes preventive measures, including:

- **Regular inspection and maintenance of the installation** includes visual assessments, leak testing, sensor calibration, and the replacement of worn components.
- **Process control automation:** The implementation of SCADA (Supervisory Control and Data Acquisition) and PLC (Programmable Logic Controller) systems facilitates the monitoring and automatic control of processes, thereby reducing human errors.
- **Implementation of redundancy systems** in critical components: Establishing backup systems capable of assuming functions in the event of a primary component failure (e.g., dual pumps, redundant power supply for safety systems).
- **Transport route optimization** involves the selection of the safest pathways, avoiding densely populated and environmentally sensitive regions. Emphasis should be placed on communication. The team engaged with hydrogen must have access to clear and rapid information channels, along with comprehensive awareness of potential threats. Real-time communication, clear signage, and warning systems—both visual and audible—constitute the foundation for effective risk management and the mitigation of potential incidents establish clear communication protocols with local emergency services and the community.

5. Technological Advancements Enhancing Hydrogen Security

The advancement of hydrogen technologies is closely aligned with innovations in safety. Emerging technological solutions are pivotal in enhancing reliability and mitigating risk.

Materials and Structures: Progress in materials science is essential for the secure storage and transportation of hydrogen. Innovative metal alloys and polymer composites are being engineered to exhibit greater resistance to hydrogen embrittlement as well as extreme pressure and temperature conditions. For instance, Type IV composite tanks, constructed from carbon fiber and resin, are considerably lighter and safer than conventional high-pressure steel tanks.

Monitoring and Detection Systems: The advancement of sophisticated hydrogen sensors is paramount. Contemporary optical, electrochemical, and semiconductor sensors provide expedited response times, enhanced accuracy, and resilience against severe environmental conditions. These systems are frequently integrated with central control mechanisms that can autonomously initiate emergency protocols (e.g., halting flow, activating ventilation). Additionally, AI-driven vision systems are being deployed, capable of identifying anomalies in the behavior of systems and personnel prior to the occurrence of incidents.

Storage Technologies: Alongside the storage of hydrogen in compressed or liquefied states, alternative methods are being developed to enhance safety. These include:

- **Solid Hydrogen:** The storage of hydrogen in hydride materials or adsorbents significantly mitigates the risk of leakage and explosion.
- **Liquid Organic Hydrogen Carriers (LOHC):** Facilitate the transportation of hydrogen as secure, liquid chemical compounds, which are subsequently dehydrogenated at the destination.

Conclusion: Sustainable Security in the Era of Energy Transformation

Hydrogen logistics is an evolving domain that necessitates the integration of advanced technologies, stringent safety standards, and skilled personnel. The implementation of effective safety protocols, comprehensive risk assessments, and readiness to address emergencies are essential for the advancement of this sector.

On one hand, the unification and stringent enforcement of international standards and regulations are imperative. Establishing a cohesive global legal framework is vital for promoting hydrogen trade and expediting its adoption. Conversely, substantial investments in education, specialized training, and risk awareness among all personnel engaged in the hydrogen supply chain are crucial.

Technological advancements, including sophisticated sensors and autonomous safety systems, can greatly enhance these efforts. Ultimately, however, it is the individuals—their knowledge, competencies, and accountability—that are pivotal to a safe and sustainable hydrogen economy.

The European Hydrogen Strategy underscores the pivotal role of cross-sectoral collaboration and the integration of science, industry, and public policy. Only through collective efforts, grounded in the principles of precaution and continuous improvement, can we cultivate an environment that not only facilitates the advancement of a hydrogen-based economy but also guarantees the utmost safety for society and the environment. Hydrogen possesses the potential to serve as a secure fuel for the future; however, realizing this objective hinges on our capacity to manage risks in a comprehensive and responsible manner.

Funded by the European Union. The views and opinions expressed are exclusively those of the author(s) and do not necessarily represent the views and opinions of the European Union or the European Education and Culture Executive Agency (EACEA). Neither the European Union nor the EACEA bears any responsibility for them.

All outcomes produced by the "Professionals and their skills in hydrogen" project are accessible under open licenses (CC BY-SA 4.0 DEED). They are freely available for use without restrictions. Replicating or reusing these materials, in whole or in part, without the author's permission is prohibited. Any utilization of the results must acknowledge the funding source and the authors.